


PC21 GREEN TAPE

220°C



- Recommended for Powder Coating, E-Coating and Anodising
- Clean removal, no adhesive residue
- Increased stiffness for ease of application
- Custom widths shipped same day
- See page 34 for discs
- Small order quantities available


Part Number	Size (Metric)	Rolls Per Case
PC21-0125	3.18mm x 66m	144
PC21-5MM	5.00mm x 66m	144
PC21-0250	6.35mm x 66m	144
PC21-0312	7.93mm x 66m	96
PC21-10MM	10.00mm x 66m	96
PC21-0437	11.11mm x 66m	72
PC21-0500	12.70mm x 66m	72
PC21-15MM	15.00mm x 66m	72
PC21-0625	15.88mm x 66m	48
PC21-0750	19.05mm x 66m	48
PC21-20MM	20.00mm x 66m	48
PC21-0875	22.23mm x 66m	36
PC21-25MM	25.00mm x 66m	36
PC21-30MM	30.00mm x 66m	36
PC21-1250	31.75mm x 66m	24
PC21-35MM	35.00mm x 66m	24
PC21-1500	38.10mm x 66m	24
PC21-40MM	40.00mm x 66m	24
PC21-45MM	45.00mm x 66m	24
PC21-50MM	50.00mm x 66m	24
PC21-2500	63.50mm x 66m	12
PC21-3000	76.20mm x 66m	12
PC21-80MM	80.00mm x 66m	8
PC21-3500	88.90mm x 66m	8
PC21-100MM	100.00mm x 66m	8
PC21-4500	114.30mm x 66m	8
PC21-5000	127.00mm x 66m	8
PC21-5500	139.70mm x 66m	8
PC21-150MM	150.00mm x 66m	8
PC21-6000	152.40mm x 66m	8
PC21-7000	177.80mm x 66m	4
PC21-8000	203.20mm x 66m	4

Other sizes available on request

PC30 YELLOW TAPE 210°C

Part Number	Size (Metric)	Rolls Per Case
PC30-0125	3.18mm x 66m	144
PC30-5MM	5.00mm x 66m	144
PC30-0250	6.35mm x 66m	144
PC30-0312	7.93mm x 66m	96
PC30-10MM	10.00mm x 66m	96
PC30-0437	11.11mm x 66m	72
PC30-0500	12.70mm x 66m	72
PC30-15MM	15.00mm x 66m	72
PC30-0625	15.88mm x 66m	48
PC30-0750	19.05mm x 66m	48
PC30-20MM	20.00mm x 66m	48
PC30-0875	22.23mm x 66m	36
PC30-25MM	25.00mm x 66m	36
PC30-30MM	30.00mm x 66m	36
PC30-1250	31.75mm x 66m	24
PC30-35MM	35.00mm x 66m	24
PC30-1500	38.10mm x 66m	24
PC30-40MM	40.00mm x 66m	24
PC30-45MM	45.00mm x 66m	24
PC30-50MM	50.00mm x 66m	24
PC30-2500	63.50mm x 66m	12
PC30-3000	76.20mm x 66m	12
PC30-80MM	80.00mm x 66m	8
PC30-3500	88.90mm x 66m	8
PC30-100MM	100.00mm x 66m	8
PC30-4500	114.30mm x 66m	8
PC30-5000	127.00mm x 66m	8
PC30-5500	139.70mm x 66m	8
PC30-150MM	150.00mm x 66m	8
PC30-6000	152.40mm x 66m	8
PC30-7000	177.80mm x 66m	4
PC30-8000	203.20mm x 66m	4

Other sizes available on request



- Recommended for Powder Coating applications
- Clean removal with no adhesive residue
- Custom widths shipped same day
- Small order quantities available

PC11 RED TAPE 230°C



- Recommended for Powder Coating and E-Coating applications
- Ideal for high temperature requirements
- See page 36 for discs

Part Number	Size (Metric)	Rolls Per Case
PC11-0125	3.18mm x 66m	144
PC11-0250	6.35mm x 66m	144
PC11-0375	9.53mm x 66m	96
PC11-0437	11.11mm x 66m	72
PC11-0500	12.70mm x 66m	72
PC11-0625	15.88mm x 66m	48
PC11-0750	19.05mm x 66m	48
PC11-0875	22.23mm x 66m	36
PC11-1000	25.40mm x 66m	24
PC11-1250	31.75mm x 66m	24
PC11-1500	38.10mm x 66m	24
PC11-1750	44.45mm x 66m	24
PC11-2000	50.80mm x 66m	24
PC11-3000	76.20mm x 66m	12
PC11-4000	101.60mm x 66m	8
PC11-5000	127.00mm x 66m	8
PC11-6000	152.40mm x 66m	8

Other sizes available on request including metric.

PC90 BLUE TAPE 220°C

- Recommended for Powder Coating, E-Coating and plating applications
- Best suited for curved surfaces
- See page 37 for discs
- Aerospace approved
- Tape is conformable

Part Number	Size (Metric)	Rolls Per Case
PC90-0125	3.18mm x 66m	144
PC90-0250	6.35mm x 33m	144
PC90-0375	9.53mm x 66m	96
PC90-0437	11.11mm x 66m	72
PC90-0500	12.70mm x 66m	72
PC90-0625	15.88mm x 66m	48
PC90-0750	19.05mm x 66m	48
PC90-0875	22.23mm x 66m	36
PC90-1000	25.40mm x 66m	24
PC90-1250	31.75mm x 66m	24
PC90-1500	38.10mm x 66m	24
PC90-1750	44.45mm x 66m	24
PC90-2000	50.80mm x 66m	24
PC90-3000	76.20mm x 66m	12
PC90-4000	101.60mm x 66m	8
PC90-5000	127.00mm x 66m	8
PC90-6000	152.40mm x 66m	8

Other sizes available on request including metric.

22 POLYIMIDE TAPE 260°C

Part Number	Size (Metric)	Rolls Per Case
22-0125	3.18mm x 33m	36
22-0250	6.35mm x 33m	36
22-0375	9.53mm x 33m	24
22-0500	12.70mm x 33m	18
22-0625	15.88mm x 33m	12
22-0750	19.05mm x 33m	12
22-1000	25.40mm x 33m	12
22-1250	31.75mm x 33m	9
22-1500	38.10mm x 33m	6
22-2000	50.80mm x 33m	6
22-2500	63.50mm x 33m	4
22-3000	76.20mm x 33m	4
22-4000	101.60mm x 33m	4
22-6000	152.40mm x 33m	2

Other sizes available on request including metric.




- Recommended for high temperature powder coating
- Masking uses in PCB manufacturing and other electronic applications
- Available in die cuts (see page 38 for discs)

PC198 GLASS CLOTH TAPE 260°C

Part Number	Size (Metric)	Rolls Per Case
PC198-0125	3.18mm x 33m	36
PC198-0250	6.35mm x 33m	36
PC198-0375	9.53mm x 33m	24
PC198-0500	12.70mm x 33m	18
PC198-0625	15.88mm x 33m	12
PC198-0750	19.05mm x 33m	12
PC198-1000	25.40mm x 33m	12
PC198-1250	31.75mm x 33m	9
PC198-1500	38.10mm x 33m	6
PC198-2000	50.80mm x 33m	6
PC198-2500	63.50mm x 33m	4
PC198-3000	76.20mm x 33m	4
PC198-4000	101.60mm x 33m	4
PC198-6000	152.40mm x 33m	2


Other sizes available on request including metric.

For more specialist thermal and plasma applications we offer a range of high performance tapes in different formats. Aerospace approved, they are available in different widths and as custom die cuts.



- Recommended for thermal spray and high-temp powder coating
- Abrasion resistant
- Good resistance to solvents
- Flame retardant
- Excellent tensile strength
- See page 39 for discs

KD11 MASKING TAPE 149°C



Part Number	Size (Metric)	Rolls Per Case
KD11-0250	6.35mm x 55m	144
KD11-0375	9.53mm x 55m	96
KD11-0500	12.70mm x 55m	72
KD11-0750	19.05mm x 55m	48
KD11-1000	25.40mm x 55m	36
KD11-1500	38.10mm x 55m	24
KD11-2000	50.80mm x 55m	24
KD11-3000	76.20mm x 55m	12
KD11-4000	101.60mm x 55m	8
KD11-6000	152.40mm x 55m	8

- High quality, high heat resistance
- Clean removal (no residue)
- Custom widths shipped same day
- See page 41 for discs
- Aerospace approved

SILICONE RUBBER TAPE 315°C



Part Number	Colour	Width (mm)	Thickness (mm)	Length (mtrs)
SRT0750-20	BLACK	19.05	0.51	11
SRT1000-20	GREY	25.40	0.51	11
SRT1000-30	ORANGE	25.40	0.76	11
SRT1500-20	RED	38.10	0.51	11
SRT1500-30	BLUE	38.10	0.76	11
SRT1750-20	GREEN	44.45	0.51	11
SRT2000-20	YELLOW	50.80	0.51	11
SRT2000-30	WHITE	50.80	0.76	11
SRT0753-10R	RED	19.05	0.25	16.5
SRT0753-20R	BLUE	19.05	0.51	11

- A tough, resilient, self fusing and adhering tape
- For covering irregular shaped objects
- Provides a void free insulation
- Recommended for powder coating, E-coating, plating and anodising
- Ranges of sizes, thicknesses and colours